

Safety Data Sheet

according to Regulation (EC) No 1907/2006

213 Zircon

Revision date: 04.12.2018

Product code: c2130_sd

Page 1 of 8

SECTION 1: Identification of the substance/mixture and of the company/undertaking**1.1. Product identifier**

213 Zircon

1.2. Relevant identified uses of the substance or mixture and uses advised against**Use of the substance/mixture**

Product for automatic vehicle washing systems

1.3. Details of the supplier of the safety data sheet

Company name: KAW KIEHL KG
Street: Oskar-von-Miller-Str. 1
Place: D-85235 Odelzhausen
Telephone: +49 8134 9305-40 Telefax: +49 8134 5145
e-mail: info@kiehl-group.com
Internet: www.kiehl-group.com
Responsible Department: Notrufnummer für deutsch- und englischsprachige Länder: +49/89/19240
Vergiftungsinformationszentrale (VIZ) Österreich: +43 1 406 43 43
Nationale Notrufnummer für die Schweiz (Tox-Zentrum Zürich): 145
Numéro d'urgence France: INRS: +33 (0) 1 45 42 59 59
Numero d'emergenza Italia: Centro Antiveneni - 20162 Milano: 02/66101029
ETTSZ /Egészségügyi Toxikológiai Tájékoztató Szolgálat/, 1096 Budapest,
Nagyvárad tér 2. Ügyeleti telefonszám: 476-64-00, 476-64-64
Emergency telephone number for all other countries: +49/8134/9305-169

KIEHL Austria GmbH	Perfektastr. 57 / Top 3;	A-1230 Wien	Tel. +43 (0) 1 / 604 99 93
KIEHL FRANCE S.A.R.L.	5, rue de Londres;	F-67670 Mommenheim	Tél. +33 (0) 3.88.59.52.25
KIEHL Italia s.r.l.	Via Michelangelo 29;	I-16036 Avegno (GE)	Tel. +39 / 0185 730 008
KIEHL Schweiz AG	St. Dionys-Str. 33;	CH-8645 Jona	Tel. +41 (0) 55 / 254 74 74
KIEHL Hungary Kft.	Ganz Ábrahám utca 4/12,	H-2142 Nagytarcsa	Tel. +36 (0) 1 / 348-08 41
KIEHL Middle East L.L.C.	P.O. Box 11 40 19	Abu Dhabi, U.A.E.	Tel. +971 2 550 33 96

1.4. Emergency telephone number: +49/89/19240 (germanophone and anglophone)

SECTION 2: Hazards identification**2.1. Classification of the substance or mixture****Regulation (EC) No. 1272/2008**

Hazard categories:

Skin corrosion/irritation: Skin Irrit. 2

Serious eye damage/eye irritation: Eye Irrit. 2

Hazard Statements:

Causes skin irritation.

Causes serious eye irritation.

2.2. Label elements**Regulation (EC) No. 1272/2008****Signal word:** Warning**Pictograms:****Hazard statements**

H319

Causes serious eye irritation.

213 Zircon

Revision date: 04.12.2018

Product code: c2130_sd

Page 2 of 8

H315 Causes skin irritation.

Precautionary statements

P280 Wear protective gloves/eye protection.
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

2.3. Other hazards

None known.

SECTION 3: Composition/information on ingredients

(according to 648/2004/CE)

3.2. Mixtures

Chemical characterization

cationic compounds, water soluble solvents, solubilizers, maintenance substances, dyes, fragrances (Benzyl Benzoat, Benzyl Salicylate, Limonene, Eugenol, Linalool, Hydroxycitronellal, Coumarin)

Hazardous components

CAS No	Chemical name			Quantity
	EC No	Index No	REACH No	
	Classification according to Regulation (EC) No. 1272/2008 [CLP]			
111-76-2	2-Butoxyethanol			5 - < 10 %
	203-905-0	603-014-00-0	01-2119475108-36	
	Acute Tox. 4, Acute Tox. 4, Acute Tox. 4, Skin Irrit. 2, Eye Irrit. 2; H332 H312 H302 H315 H319			
	1-Propanaminium, 2-hydroxy-N-(2-hydroxypropyl)-N,N-dimethyl-, esters with fatty acids, C18 unsatd., Me sulfates (salts)			1 - < 5 %
	939-685-4		01-2119983493-26	
	Skin Irrit. 2, Eye Dam. 1, Aquatic Chronic 3; H315 H318 H412			
67-63-0	Isopropyl alcohol			1 - < 5 %
	200-661-7	603-117-00-0	01-2119457558-25	
	Flam. Liq. 2, Eye Irrit. 2, STOT SE 3; H225 H319 H336			
9004-78-8	Tetraethylene glycolmonophenyl ether			1 - < 5 %
	500-013-6			
	Acute Tox. 4; H302			

Full text of H and EUH statements: see section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

Avoid contact with skin and eyes.

After inhalation

not hazardous by inhalation

After contact with skin

Wash off with soap and water.

After contact with eyes

Rinse thoroughly with plenty of water, also under the eyelids. If eye irritation persists, consult a specialist.

After ingestion

Drink plenty of water. Do NOT induce vomiting. If symptoms persist, call a physician.

213 Zircon

Revision date: 04.12.2018

Product code: c2130_sd

Page 3 of 8

4.2. Most important symptoms and effects, both acute and delayed

This information is not available.

4.3. Indication of any immediate medical attention and special treatment needed

Show this safety data sheet to the doctor in attendance.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Any extinguishing means and measures are acceptable.

5.2. Special hazards arising from the substance or mixture

This information is not available.

5.3. Advice for firefighters

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. The product itself does not burn.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Avoid contact with skin and eyes.

6.2. Environmental precautions

Do not flush into surface water or sanitary sewer system.

6.3. Methods and material for containment and cleaning up

Wipe up with absorbent material (e.g. cloth, fleece). After cleaning, flush away traces with water.

Never return spills in original containers for re-use.

6.4. Reference to other sections

Never return spills in original containers for re-use.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Avoid contact with skin and eyes.

Advice on protection against fire and explosion

Not required

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Store at room temperature in the original container. Store in a place accessible by authorized persons only.

Hints on joint storage

Keep away from food, drink and animal feedingstuffs.

Further information on storage conditions

Store at room temperature in the original container. Keep container tightly closed. Protect from frost.

7.3. Specific end use(s)

This information is not available.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Safety Data Sheet

according to Regulation (EC) No 1907/2006

213 Zircon

Revision date: 04.12.2018

Product code: c2130_sd

Page 4 of 8

Exposure limits (EH40)

CAS No	Substance	ppm	mg/m ³	fibres/ml	Category	Origin
111-76-2	2-Butoxyethanol	25	123		TWA (8 h)	WEL
		50	246		STEL (15 min)	WEL
67-63-0	Propan-2-ol	400	999		TWA (8 h)	WEL
		500	1250		STEL (15 min)	WEL

Biological Monitoring Guidance Values (EH40)

CAS No	Substance	Parameter	Value	Test material	Sampling time
111-76-2	2-Butoxyethanol	butoxyacetic acid (creatinine)	240 mmol/mol	urine	Post shift

8.2. Exposure controls

Appropriate engineering controls

Not required

Protective and hygiene measures

Handle in accordance with good industrial hygiene and safety practice.

Eye/face protection

Tightly fitting safety goggles

Hand protection

Protective gloves

Recommendation: Nitrile gloves with a coating thickness of 0.4 mm which protect at least 8 hours (corresponds to the permeability level 6 of the European norm DIN/EN 374) and provide a resistance to swelling of < 15%.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state: liquid
 Colour: red brown
 Odour: pleasant

pH-Value (at 20 °C):

Test method
 approx. 4,5 K-QP1012C

Changes in the physical state

Melting point: <0 °C
 Initial boiling point and boiling range: >78 °C
 Sublimation point: not applicable
 Softening point: not applicable
 Pour point: not applicable
 Flash point: >60 °C

Flammability

Solid: not applicable
 Gas: not applicable

Explosive properties

Not explosive

Lower explosion limits: not applicable

Safety Data Sheet

according to Regulation (EC) No 1907/2006

213 Zircon

Revision date: 04.12.2018

Product code: c2130_sd

Page 5 of 8

Upper explosion limits:	not applicable
Ignition temperature:	>200 °C
Auto-ignition temperature	
Solid:	not applicable
Gas:	not applicable
Decomposition temperature:	not determined
Oxidizing properties	
Not relevant	
Vapour pressure:	not determined
Density (at 20 °C):	0,98 g/cm ³ K-QP1012E
Water solubility: (at 20 °C)	completely miscible
Solubility in other solvents	
not determined	
Partition coefficient:	not determined
Viscosity / dynamic:	not determined
Viscosity / kinematic:	not determined
Flow time:	not determined
Vapour density:	not determined
Evaporation rate:	not determined

9.2. Other information

Solid content: not determined

SECTION 10: Stability and reactivity**10.1. Reactivity**

This information is not available.

10.2. Chemical stability

This information is not available.

10.3. Possibility of hazardous reactions

This information is not available.

10.4. Conditions to avoid

Do not expose to temperatures above 35 °C.

10.5. Incompatible materials

This information is not available.

10.6. Hazardous decomposition products

No decomposition if stored and applied as directed.

Further information

Do not mix with other detergents or chemicals.

SECTION 11: Toxicological information**11.1. Information on toxicological effects****Acute toxicity**

Based on available data, the classification criteria are not met.

Safety Data Sheet

according to Regulation (EC) No 1907/2006

213 Zircon

Revision date: 04.12.2018

Product code: c2130_sd

Page 6 of 8

CAS No	Chemical name				
	Exposure route	Dose	Species	Source	Method
111-76-2	2-Butoxyethanol				
	oral	LD50 470 mg/kg			
	dermal	LD50 220 mg/kg			
	inhalation vapour	LC50 2,2 mg/l			
	inhalation aerosol	ATE 1,5 mg/l			
9004-78-8	Tetraethylene glycolmonophenyl ether				
	oral	ATE 500 mg/kg			

Irritation and corrosivity

Causes serious eye irritation.

Causes skin irritation.

Sensitising effects

Based on available data, the classification criteria are not met.

Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

Further information

Health injuries are not known or expected under normal use.

SECTION 12: Ecological information

12.1. Toxicity

No data is available on the product itself.

12.2. Persistence and degradability

Cationic compounds are biodegradable only in high dilution. They are adequate diluted in sewage and become inactive through contact with other waste-water substances. Therefore solutions could be disposed of in the sewerage system.

12.3. Bioaccumulative potential

This information is not available.

12.4. Mobility in soil

The formulation of the product does not contain halogen organic compounds (AOX) or AOX forming halogen compounds.

12.5. Results of PBT and vPvB assessment

This information is not available.

12.6. Other adverse effects

This information is not available.

Further information

Chemical Oxygen Demand (COD): 888 mg O₂/g

SECTION 13: Disposal considerations

213 Zircon

Revision date: 04.12.2018

Product code: c2130_sd

Page 7 of 8

13.1. Waste treatment methods

Advice on disposal

Container should be emptied thoroughly.
Do not pour remains of product in large quantities into the sewage.

Waste disposal number of waste from residues/unused products

070699 WASTES FROM ORGANIC CHEMICAL PROCESSES; wastes from the MFSU of fats, grease, soaps, detergents, disinfectants and cosmetics; wastes not otherwise specified

Waste disposal number of used product

070699 WASTES FROM ORGANIC CHEMICAL PROCESSES; wastes from the MFSU of fats, grease, soaps, detergents, disinfectants and cosmetics; wastes not otherwise specified

Contaminated packaging

Clean container with water. Offer rinsed packaging material to local recycling facilities.

SECTION 14: Transport information

Land transport (ADR/RID)

14.1. UN number: not applicable

14.2. UN proper shipping name: not applicable

14.3. Transport hazard class(es): not applicable

14.4. Packing group: not applicable

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: no

14.6. Special precautions for user

Not required

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

not applicable

Other applicable information

Not classified as dangerous in the meaning of transport regulations.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulatory information

Water contaminating class (D): 2 - clearly water contaminating

15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information

Changes

This data sheet contains changes from the previous version in section(s): 3 / 9 / 12

Relevant H and EUH statements (number and full text)

H225 Highly flammable liquid and vapour.
H302 Harmful if swallowed.
H312 Harmful in contact with skin.
H315 Causes skin irritation.
H318 Causes serious eye damage.
H319 Causes serious eye irritation.
H332 Harmful if inhaled.

Safety Data Sheet

according to Regulation (EC) No 1907/2006

213 Zircon

Revision date: 04.12.2018

Product code: c2130_sd

Page 8 of 8

H336 May cause drowsiness or dizziness.
H412 Harmful to aquatic life with long lasting effects.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)